

Work Order ID 85956

85956

Page 1

June-19-12 8:03:59 AM

Item ID: D3245-3

Accept

N900040100

Setup Start

NS1

Revision ID:

Item Name: Door

Stop

NS2

Start Date: 19/06/2012 Start Qty: 8.00

8

Cust Item ID:

Required Date: 03/07/2012 Req'd Qty: 8.00

8

Customer:

Reference:

Approvals: Process Plan: MLJ

Date: 12/06/19

Tooling:

Date:

Run Start

NR1

QC:

Date:

SPC (Y/N):

Date:

Stop

NR2

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr

Revision Nbr

D3245

Rev C

100

0.00

100

FLOW WATER JET

Waterjet

Memo

0.00

FLOW CNC Waterjet

1-Cut as per Dwg D3245 Dwg Rev: C Prog Rev: C 2-
Deburr if necessary

304, 032"

10 0 Jm 12-6-23

110

QC2- Inspect parts off machine FAI/FAIB

0.00

110

QC

Memo

0.00

Quality Control

10 0 Jm 12-6-23

120

QC8- Inspect parts - second check

0.00

120

QC

Memo

0.00

Quality Control

10 0 m/120624

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 85956

June-19-12 8:03:59 AM

85956

Page 2

Item ID: D3245-3

Accept

N900040100

Setup Start ***NS1***

Revision ID:

Item Name: Door

Stop ***NS2***

Start Date: 19/06/2012 Start Qty: 8.00 ***8***

Cust Item ID:

Required Date: 03/07/2012 Req'd Qty: 8.00 ***8***

Customer:

Reference:

Approvals:	Process Plan: _____	Date: _____	Tooling: _____	Date: _____	Run Start *NR1*
	QC: _____	Date: _____	SPC (Y/N): _____	Date: _____	Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

130		0.00							
-----	--	------	--	--	--	--	--	--	--

130

NC BRAKE

Brake NC

Memo

0.00

Brake NC

Deburr if necessary, buff entire surface to ensure a nice surface finish. Form
D3245-3 as per Dwg D3245 Identify as D3245-3

140	QC5- Inspect part completeness to step on W/O	0.00							
-----	---	------	--	--	--	--	--	--	--

140

QC

Memo

0.00

Quality Control

150	Identify as per dwg & Stock Location: SGA	0.00							
-----	--	------	--	--	--	--	--	--	--

150

Packaging

Memo

0.00

Packaging

10X **SP**
12-7-16

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 85956***85956***

Page 3

June-19-12 8:03:59 AM

Item ID: D3245-3

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Door

Start Date: 19/06/2012 Start Qty: 8.00

8

Cust Item ID:

Required Date: 03/07/2012 Req'd Qty: 8.00

8

Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start ***NR1***

QC:

Date:

SPC (Y/N):

Date:

Stop ***NR2***Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

160

QC21- Final Inspection - Work Order Release

0.00

160

QC

Memo

0.00

Quality Control

12/7/18

mf
12-07-16

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

June-19-12 8:04:02 AM

Page 1

Work Order ID: 85956

85956

Parent Item: D3245-3

D3245-3

Parent Item Name: Door

Start Date: 19/06/2012

Required Date: 03/07/2012

Start Qty: 8.00

Required Qty: 8.00

Comments:

IPP A04.07.07New issueKJ/JLM
IPP Rev:B Now on Waterjet 07-09-14 JLM Verified By:EC
IPP Rev:c ECN 1052 07-10-31 DD verified by:

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M304S22GA		Purchased	No			100	sf	236.9900	0.537	4.522105			

M304S22GA

304/316 .032 Sheet

**

Jm 12-6-23

Location

Loc Qty

Loc Code

MAT020

236.99

118271

8.88

120866

74.36

121889

153.75

120866

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Dart Aerospace Ltd


W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____




Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			


NOTE: Date & initial all entries



D3245-041 ACCESS PANEL ASSY (LH)



D3245-042 ACCESS PANEL ASSY (RH)



QTY -041	QTY -042	P/N	DESCRIPTION
X		D3245-041	ACCESS PANEL ASSY (LH)
	X	D3245-042	ACCESS PANEL ASSY (RH)
1		D3245-1	PANEL
1	1	D3245-2	PANEL
8	8	D3245-5	ANGLE PLATE
16	16	2350-18-C3Y	RECEPTACLE
9	9	MS20427M3-3	RIVET
		MS20615M3-3	RIVET

- NOTES:**
- 1) MATERIAL: N/A
 - 2) FINISH: N/A
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) ASSEMBLE IN ACCORDANCE WITH DART QSI 002
 - 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3245-XX" AND B/N "BXXXXX" PER QSI 044 METHOD 6.1
 - 7) WEIGHT: 0.83 lbs
 - 8) TEMPORARILY INSERT A 0.032" GAUGE PLATE PRIOR TO RIVETING D3245-5 TO PANEL

C	ADDED NOTE 8, SHEET 1. SPECIFIED RIVET ORIENTATION (B4-1, B5-1) CHANGED 1/4-TURN STUD FROM 2351-20-009-C3Y TO 2351-20-012-C3Y (D5-2). HOLE SIZE WAS 0.098, 9 PLACES (D6-6). HOLE SIZE WAS 0.219, 8 PLACES (D7-5). REF: PAR 12-185	RP	12.04.11
B	REMOVE 0.0204 HOLES FROM D3245-1/1F. REMOVE MS21080-L3K NUTPLATES & DURABLE BLACK GASKETS FROM D3245-041/042. HOLES AND ITEMS ARE NOW PART OF INSTALLATION. ASSIGN P/Ns TO GASKETS & REFORMAT DRAWING	MB	07.10.02
A	NEW ISSUE	RF	04.01.27
REV.	DESCRIPTION	BY	DATE
DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	MB	DRAWING NO.	REV. C
CHECKED	A.P.	D3245	SHEET 1 OF 7
MFG. APPR.	J.P.	TITLE	SCALE
APPROVED	J.P.	ACCESS PANEL ASSY	NTS
DE APPR.		COPYRIGHT © 2004 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR REPRODUCED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	
DATE	12.04.11		

RELEASED 2012-05-07

RETURN TO
ENGINEERING
UNCONTROLLED CO
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 05956 MCL
12/06/19

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

D3245-3 DOOR

2351-20-012-C3Y STUD
127H-35 GROMMET
8 PL

C

8.00
REF

8.00 REF

D3245-7 GASKET
REFINSTALL D3245-7
GASKET ON THIS SIDE
6**D3245-043 DOOR ASSY**

QTY -043	P/N	DESCRIPTION
X	D3245-043	ACCESS PANEL ASSY
1	D3245-3	DOOR
1	D3245-7	GASKET
8	127H-35	GROMMET
8	2351-20-012-C3Y	STUD

C

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) INSTALL D3245-7 GASKET USING 3M SCOTCH-GRIP 1300/1300L ADHESIVE IN ACCORDANCE WITH MANUFACTURER'S INSTRUCTIONS
- 7) ASSEMBLE IN ACCORDANCE WITH DART QSI 002
- 8) IDENTIFICATION: IDENTIFY WITH DART P/N "D3245-043" AND B/N "BXXXXX" PER QSI 044 METHOD 6.1
- 9) WEIGHT: 0.72 lbs

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	MB		
CHECKED	AP	DRAWING NO.	REV. C
MFG. APPR.	AP	D3245	SHEET 2 OF 7
APPROVED	AP	TITLE	SCALE
DE APPR.	AP	ACCESS PANEL ASSY	NTS
DATE	12.04.11	<small>COPYRIGHT © 2004 BY DART AEROSPACE LTD. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

95956

RELEASED
2012-05-07




W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____




NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



D3245-1 PANEL (LH)

85956



D3245-2 PANEL (RH)

NOTES:

- 1) MATERIAL: MAKE FROM D3245-1F
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.70 lbs

RELEASED
2012-05-07

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	MB		
CHECKED	AP	DRAWING NO.	REV. C
MFG. APPR.	AP	D3245	SHEET 3 OF 7
APPROVED	AP	TITLE	SCALE
DE APPR.	AP	ACCESS PANEL ASSY	NTS
DATE	12.04.11	COPYRIGHT © 2004 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____


Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			


NOTE: Date & initial all entries

8 7 6 5 4 3 2 1

85956




D3245-3F DOOR FLAT PATTERN



**D3245-3 DOOR
(MADE FROM D3245-3F)**

RELEASED
2012-05-07

- NOTES:**
- 1) MATERIAL: AISI 304/316 SS SHEET, 0.032 THICK, ANNEALED, 2B FINISH, PER MIL-S-5069 OR AMS 5513 (304) OR AMS 5524 (316) OR ASTM A240 OR ASME SA240 (REF. DART SPEC. M304S22GA)
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: N/A
 - 7) WEIGHT: 0.66 lbs



DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	MB		
CHECKED	A.P.	DRAWING NO. D3245	REV. C
MFG. APPR.			SHEET 5 OF 7
APPROVED		TITLE	SCALE
DE APPR.		ACCESS PANEL ASSY	NTS
DATE	12.04.11	COPYRIGHT © 2004 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

8 7 6 5 4 3 2 1


W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____


Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			


NOTE: Date & initial all entries



D3245-5F FLAT PATTERN



D3245-5 ANGLE PLATE
(MAKE FROM D3245-5F)



REL. 1021
2012-05-07

NOTES:

- 1) MATERIAL: AISI 304/316 SS SHEET, 0.032 THICK, ANNEALED, 2B FINISH, PER MIL-S-5059 OR AMS 5513 (304) OR AMS 5524 (316) OR ASTM A240 OR ASME SA240 (REF. DART SPEC. M304S22GA)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.08 lbs

DESIGN	RF	DART AEROSPACE LTD	
DRAWN	MB	HAWKESBURY, ONTARIO, CANADA	
CHECKED	AR	DRAWING NO.	REV. C
MFG. APPR.	ED	D3245	SHEET 6 OF 7
APPROVED	AND	TITLE	SCALE
DE APPR.	W	ACCESS PANEL ASSY	
DATE	12.04.11	COPYRIGHT © 2014 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED IN ANY FORM OR BY ANY MEANS WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			


W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____


Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



D3245-7 GASKET



D3245-X GASKET

P/N	LENGTH
D3245-9	8.35
D3245-11	9.01
D3245-13	9.50

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. _____

REL 1950
2012-05-07

NOTES:

- 1) MATERIAL: DURABLE BLACK GASKET, 0.035 THICK
PER MIL-A-7021C OR MIL-A-17472B OR MIL-G-12803A OR AMS 3232
(REF. DART SPEC. MDURAS.035)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: LESS THAN 0.01lbs

DESIGN	RF	DART AEROSPACE LTD	
DRAWN	MB	HAWKESBURY, ONTARIO, CANADA	
CHECKED	MB	DRAWING NO.	REV. C
MFG. APPR.	MB	D3245	SHEET 7 OF 7
APPROVED	MB	TITLE	SCALE
DE APPR.	MB	ACCESS PANEL ASSY	NTS
DATE	12.04.11	COPYRIGHT © 2011 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL. IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED IN ANY FORM OR BY ANY MEANS WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries